

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 52643-00335USPT 4460 10/082,620 02/22/2002 James A. Stares EXAMINER 26231 12/17/2004 7590 FISH & RICHARDSON P.C. FOX, JOHN C 5000 BANK ONE CENTER ART UNIT PAPER NUMBER 1717 MAIN STREET DALLAS, TX 75201 3753

DATE MAILED: 12/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	
		10/082,620	STARES, JAMES A.	
	Office Action Summary	Examiner	Art Unit	
		John Fox	3753	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).				
Status				
1)⊠	Responsive to communication(s) filed on 13.	<u>August 2004</u> .		
2a)□	This action is FINAL . 2b)⊠ Thi	is action is non-final.	•	
3)□	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.			
Disposition of Claims				
5)□ 6)⊠ 7)□	<u>-</u>			
Application Papers				
9)☐ The specification is objected to by the Examiner.				
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)				
2) 🔲 Notice 3) 🔲 Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:		

Application/Control Number: 10/082,620

Art Unit: 3753

This action is responsive to the communication filed August 13, 2003.

Claims 1, 7, 11, 15 and 18-28 have been cancelled.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 6, 2-3, 8-10, 14, 16-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Barr.

Barr shows a valve with inlet 8, outlet 9, cage 16 with lateral ports 30, plug 15 and chamber 7 with a larger area adjacent the outlet than opposite the outlet. The upper and lower segments of the cage shown in Figure 2 are read as triangular flow splitters in that they are generally triangular and split the flow.

The language added to the claims remains unduly broad. Applicant's valve includes ports directing flow almost 180° away from the second passage. If the claim language is an accurate description of that, then it has to be an accurate description of Barr, and Barr properly anticipates the claims.

To put it another way, the ports of Barr inherently direct flow. All of the flow goes to the second passage. If the ports of Barr aren't directing flow toward the second passage, toward what are they directing it?

Claims 6, 4-5, 14, 12-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Kruschik.

Kruschik shows a valve having an eccentric cage 5, 6, 7, 8, 9, 10, 11, 12 and an annular chamber 18, the elements 8, 9 and 12 being angled towards the right in Figure 2 and the walls of the ports "passing" straight through the wall of the cage.

Application/Control Number: 10/082,620 Page 3

Art Unit: 3753

The remarks above apply to Kruschik as well.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Fox whose telephone number is 571-272-4912. The examiner can normally be reached on Increased Flextime.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Mancene can be reached on 571-272-4930. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner
Art Unit 3753